

WINTER CNC Biegemaschine für 3D – Buchstaben

Automatic Letter Bender A-125 Clamping



ACHTUNG!

Vor Inbetriebnahme der Maschine sorgfältig diese Bedienungsanleitung durchlesen. Der Hersteller haftet nicht für Schäden, die durch unrichtige Verwendung der Maschine oder durch Änderungen an der Konstruktion entstanden sind.

Henrik Winter Holztechnik GmbH

Druckereistr. 8
04159 Leipzig

Tel: +49 (0)341/ 4619021 Fax: +49 (0)341/4618358 Funk: +49 (0)171/2820443
Em@il: info@winter-holztechnik.de Internet: www.winter-holztechnik.de

Product Description

Feeding System	Clamping system continuous feeding device
Slotting System	Planer cutter and milling cutter double cutters slotted system
Bending System	Double blade alternate bending system
Suitable Material	Stainless steel, Galvanized steel, Aluminum, Aluminium profile
Material Height	20~125mm
Material Thickness	1.Stainless steel≤1.0mm 2.Galvanized steel≤1.0mm 3.Aluminum≤1.2mm 4.Aluminium profile 1.0mm
Accuracy	±0.1mm
Input File Format	.dxf
Dimensions	L2410mm×W800mm×H1470mm
Power	AC220V 50Hz 2.4Kw
Air Supply	0.6m³/Min
Total Weight	420Kg



Stainless steel processing



Aluminum plate processing



Aluminum profile processing



Stainless steel sample display



Aluminum plate sample display



Super sign sample display





Detailed Images




Main Features

Double bending tools bending system, special designed bending tools and the tools edge, capable of bending with plate and profile. Better choice for small angle and radian bending.

Main Features

Double-cutter slotting, using plane cutter for Galvanized sheet and Stainless steel, using milling cutter for Aluminum plate and Aluminum profiles.





Requirements



Computer

To use the device, you need to install the control card in your computer and then connect to the bending machine and install the software. Computer configuration requirements: XP system or window7 32-bit system, and requires a PCI card slot to install the control card.

File Format

The software of bending machine is self-developed. Import file format supports .dxf.Plt We recommend using Coredraw or adobe illustrator to complete the file after the export file to.Dxf.Plt format. Then open the operating software, select the document.



Item	Description	Shape	Photo	Width	Price	Thickness	length	Available Colour	Letter Photo
JK-01	raw aluminum with hook			6 cm	1.8 USD/m	0.6 mm	6 m/pcs	aluminum colour	
				8 cm	2.2 EUR/m	0.6 mm	6 m/pcs		
JK-02	flat coloured aluminum			3cm	0.90 EUR/m	0.6 mm	50 m/roll	red blue green white black yellow	
				4cm	1.10 EUR/m	0.6 mm	50 m/roll		
				5cm	1.30 EUR/m	0.6 mm	50 m/roll		
				6cm	1.50 EUR/m	0.6 mm	50 m/roll		
				7cm	1.70 EUR/m	0.6 mm	50 m/roll		
				8cm	1.90 EUR/m	0.6 mm	50 m/roll		
JK-03	flat brushed gold/ brushed silver aluminum			3cm	1.0 EUR/m	0.6 mm	50 m/roll	brushed gold/brushed silver	
				4cm	1.2 EUR/m	0.6 mm	50 m/roll		
				5cm	1.4 EUR/m	0.6 mm	50 m/roll		
				6cm	1.6 EUR/m	0.6 mm	50 m/roll		
				7cm	1.8 EUR/m	0.6 mm	50 m/roll		
				8cm	2.2 EUR/m	0.6 mm	50 m/roll		
JK-04	flat silver aluminum			3cm	1.0 EUR/m	0.6 mm	50 m/roll	natural aluminum /silver	
				4cm	1.2 EUR/m	0.6 mm	50 m/roll		
				5cm	1.3 EUR/m	0.6 mm	50 m/roll		
				6cm	1.4 EUR/m	0.6 mm	50 m/roll		
				7cm	1.6 EUR/m	0.6 mm	50 m/roll		
				8cm	1.8 EUR/m	0.6 mm	50 m/roll		
JK-05	flat mirror silver aluminum			3cm	1.2 EUR/m	0.6 mm	50 m/roll	mirror silver	
				4cm	1.4 EUR/m	0.6 mm	50 m/roll		
				5cm	1.8 EUR/m	0.6 mm	50 m/roll		
				6cm	2.0 EUR/m	0.6 mm	50 m/roll		
				7cm	2.2 EUR/m	0.6 mm	50 m/roll		
				8cm	2.8 EUR/m	0.6 mm	50 m/roll		
JK-06	colored aluminum with hook			6 cm	1.8 EUR/m	0.6 mm	6 m/pcs	black/white/red/yel low/blue/green	
				8 cm	2.2 EUR/m	0.6 mm	6 m/pcs		
JK-07	mirror aluminum with hook			6 cm	1.8 EUR/m	0.6 mm	6 m/pcs	mirror silver	
				8 cm	2.2 EUR/m	0.6 mm	6 m/pcs		
JK-08	brushed aluminum with hook			6 cm	1.8 EUR/m	0.6 mm	6 m/pcs	brushed gold/brushed silver	
				8 cm	2.2 EUR/m	0.6 mm	6 m/pcs		

Item	Description	Material Photo	Width	EXW Price	Thickness	MOQ
JK-09	201# mirror stainless steel		3cm,4cm,5cm, 6cm,7cm,8cm	5.6 EUR/KG	0.6mm	100kg/size
JK-10	201# brushed stainless steel		2cm,3cm,4cm,5cm, 6cm,7cm,8cm	5.6 EUR/KG	0.6mm	
JK-11	304# mirror stainless steel		3cm,4cm,5cm, 6cm,7cm,8cm	7.4 EUR/KG	0.6mm	100kg/size
JK-12	304# brushed stainless steel		3cm,4cm,5cm, 6cm,7cm,8cm	7.4 EUR/KG	0.6mm	

